Ĺ	Hits	Search Text	DB	Time stamp
Number				_
	4	<pre>(map\$5 near4 if-conversion) and (predicat\$3 near4 (execution or instruction or optimi\$5 or code))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 13:01
_	6	("5239663" "5649135" "5650936" "5652835" "5694577" "5696956").PN.	USPAT	2004/03/20 12:20
	3	5943499.URPN.	USPAT	2004/03/20
- `	49	<pre>(optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 13:06
	44	((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 13:06
	57	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 13:06
_	48	((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 13:21
-	5	(((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))) and (@ad<=20010207 or @rlad<=20010207)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20
	11	<pre>(if-conversion) (speculation or if-convers\$3 or compensation) and (partial\$3 adj2 (predicat\$3 near5 (execution or code or instruction or operation)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 16:41
	8	((speculation or if-convers\$3 or compensation) and (partial\$3 adj2 (predicat\$3 near5 (execution or code or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:37
	PETERSON WINNESS TO SERVE	instruction_or_operation))))_and _(@ad<-20010207_or_@r1ad<=20010207)=======	DERWENT;	
_	5	(interpretation and compensation and speculation) and (predicat\$5 near4 (execution or code or instruction and operation or statement))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:29
-	4	((interpretation and compensation and speculation) and (predicat\$5 near4 (execution or code or instruction and operation or statement))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20
_	27	(@ad<=20010207 or @rlad<=20010207) ((interpretation near8 optimi\$5) or (interpret\$6 near8 optimi\$5).ab.) and 717/\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:37
-	20	(((interpretation near8 optimi\$5) or (interpret\$6 near8 optimi\$5).ab.) and 717/\$) and (@ad<=20010207 or @rlad<=20010207)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:41
	575	<pre>(speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 13:41

				<u> </u>
Γ-	452	((speculation or compensation or	USPAT;	2004/09/13
}		interpret\$5) and (if-convers\$3 or (US-PGPUB;	09:35
		predicat\$3 near5 (execution or code or	· '	03.30
i	1 1		EPO; JPO;	†
		instruction or operation)))) and	DERWENT;	
1		(@ad<=20010207 or @rlad<=20010207)	IBM TDB	1
-	25	(((speculation or compensation or	USPAT;	2004/09/13
		interpret\$5) and (if-convers\$3 or (US-PGPUB;	11:50
1				11.30
		predicat\$3 near5 (execution or code or	EPO; JPO;	
1	}	<pre>instruction or operation()))) and</pre>	DERWENT;	1
	Į.	(@ad<=20010207 or @rlad<=20010207)) and	IBM TDB	
		((optimi\$5 or reduc\$5 or replac\$4 or	_	
1	(minimi\$5 or eliminat\$4) near3 (predicat\$3	(Ĭ.
	İ	near2 (instruction or statement or		
ł		means (instruction of statement of	}	1
	i .	execution or operation or code)))		
\ -	1	((interpretation and compensation) same	USPAT;	2004/03/20
		optimi\$4) and 717/\$ and predicat\$4	US-PGPUB;	13:44
-			EPO; JPO;	
Ì			DERWENT;	į.
			IBM TDB	1
)				0004/00/00
-	10	(interpretation and compensation) and	USPAT;	2004/03/20
		717/\$ and predicat\$4	US-PGPUB;	13:45
1	[EPO; JPO;	1
1			DERWENT;	
1	1		IBM TDB	1
	_			2004/63/66
-	9	((interpretation and compensation) and	USPAT;	2004/03/20
[717/\$ and predicat\$4) and (@ad<=20010207	US-PGPUB;	15:32
1		or @rlad<=20010207)	EPO; JPO;	
1	}		DERWENT;	1
1			IBM TDB	1
J	-	("5632023" "5758051" "5799179"	USPAT	2004/03/20
1 -	7		USPAT	
	1	"5901308" "5999738" "6260189"	j	14:07
1	1	"6442679").PN.	1	
_	6	(Schlansker and Johnson).in.	USPAT;	2004/03/20
	1	(3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	US-PGPUB;	15:31
				13.31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5	5920716.URPN.	USPAT	2004/03/20
				14:21
	7	("5920716" "5937195" "6009512"	USPAT	2004/03/20
_	/		USFAI	
		"6157996" "6260190" "6282708"		14:24
	1	"6594824").PN.	() a	
-	14	(compensation near2 code) and schedul\$4	USPAT;	2004/03/20
	ļ	and predicat\$5 and (717/\$ or 711/\$ or	US-PGPUB;	15:41
		712/\$)	EPO; JPO;	
-	ļ		DERWENT;	
	<u> </u>		IBM_TDB	
	11	((compensation near2 code) and schedul\$4	USPAT;	2004/03/20
\	1 ++		1	,
		and predicat\$5 and (717/\$ or 711/\$ or	US-PGPUB;	15:41
1	1	712/\$)) and (@ad<=20010207 or	EPO; JPO;	1
	1	@rlad<=20010207)	DERWENT;	
1			IBM TDB	
1 -	87	(interpretation) and schedul\$4 and	USPAT;	2004/03/20
	1	predicat\$5 and (717/\$ or 711/\$ or 712/\$)	US-PGPUB;	15:41
1	1	brearcache and (11115 OF 11115 OF 115/5)		10.11
			EPO; JPO;	
1	1		DERWENT;	
			IBM_TDB	
1	72	((interpretation) and schedul\$4 and	USPĀT;	2004/03/20
-			US-PGPUB;	16:25
-	1	$ predicats_5 and (/1//s or /11/s or /12/s))$		
		predicat\$5 and (717/\$ or 711/\$ or 712/\$))		
		predicat\$5 and (/1//\$ or /11/\$ or /12/\$)) and (@ad<=20010207 or @rlad<=20010207)	EPO; JPO;	
			EPO; JPO; DERWENT;	:
		and (@ad<=20010207 or @rlad<=20010207)	EPO; JPO; DERWENT; IBM_TDB	
			EPO; JPO; DERWENT;	2004/03/20
-	1	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/20
-	1	and (@ad<=20010207 or @rlad<=20010207)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
- ×	1	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
-	1	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
-	:	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard))	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	16:22
-	1	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard)) (avoid\$4 or replac\$4 or eliminat\$4) near6	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/20
-	:	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard))	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	16:22
-	:	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard)) (avoid\$4 or replac\$4 or eliminat\$4) near6 ((predicat\$3 near2 execution) or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/20
-	:	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard)) (avoid\$4 or replac\$4 or eliminat\$4) near6	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/20
-	:	and (@ad<=20010207 or @rlad<=20010207) interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard)) (avoid\$4 or replac\$4 or eliminat\$4) near6 ((predicat\$3 near2 execution) or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/03/20

_				TTGD N. III	2004/02/20
-		30	((avoid\$4 or replac\$4 or eliminat\$4)	USPAT; US-PGPUB;	2004/03/20 16:48
		ľ	near6 ((predicat\$3 near2 execution) or	EPO; JPO;	10.40
١			predication)) and (@ad<=20010207 or @rlad<=20010207)	DERWENT;	
			eriad<-20010207)	IBM TDB	
١.	_	10	(((avoid\$4 or replac\$4 or eliminat\$4)	USPAT;	2004/03/20
-		10	near6 ((predicat\$3 near2 execution) or	US-PGPUB;	16:29
			predication)) and (@ad<=20010207 or	EPO; JPO;	
١			@rlad<=20010207)) and ((avoid\$4 or	DERWENT;	
l		-	replac\$4 or eliminat\$4) adj6 ((predicat\$3	IBM_TDB	
		i .	near2 execution) or predication))		
	-	3	predication near3 (hazards or fault or	USPAT;	2004/03/20
			misprediction or interrupt)	US-PGPUB; EPO; JPO;	16:33
				DERWENT;	
ì			:	IBM TDB	
١.	_	2	6260189.URPN.	USPĀT	2004/03/20
		-			16:32
	-	2	predication near3 (penalty or pitfall)	USPAT;	2004/03/20
			-	US-PGPUB;	16:34
				EPO; JPO;	
				DERWENT;	
		2.0	///amagulation or componention on	IBM_TDB USPAT;	2004/03/20
	-	.33	(((speculation or compensation or interpret\$5) and (if-convers\$3 or (US-PGPUB;	16:42
		•	predicat\$3 near5 (execution or code or	EPO; JPO;	
			instruction or operation)))) and	DERWENT;	
			(@ad<=20010207 or @rlad<=20010207)) and	IBM_TDB	
			((interpretation) and schedul\$4 and		
			predicat\$5 and (717/\$ or 711/\$ or 712/\$))	TT CONTE	2004/03/20
	_	3	((((speculation or compensation or	USPAT;	2004/03/20
ļ			<pre>interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or</pre>	US-PGPUB; EPO; JPO;	16:47
			instruction or operation))) and	DERWENT;	
			(@ad<=20010207 or @rlad<=20010207)) and	IBM TDB	
Ì			((interpretation) and schedul\$4 and	/	
		*	predicat\$5 and (717/\$ or 711/\$ or		
			712/\$))) and if-conversion		
Î		16	if-conversion and predicat\$3 and	USPAT;	2004/03/20
			speculation	US-PGPUB; EPO; JPO;	16:47
				DERWENT;	
				IBM TDB	
	_	10	(if-conversion and predicat\$3 and	USPAT;	2004/03/20
			speculation) and (@ad<=20010207 or	US-PGPUB;	16:48
_ _			@rlad<=20010207)	EPO; JPO;	
				DERWENT;	
		F701	//717/2 6 5 0 140-161\ or	IBM_TDB USPAT;	2004/03/22
	-	5791	((717/2,6,5,9,140-161) or (712/207-219,234,239) or (714/2)).CCLS.	US-PGPUB;	08:51
			(112/20/213,233, 01 (/11/2)).0013.	EPO; JPO;	
	•			DERWENT;	
				IBM_TDB	
	-	0		USPAT;	2004/09/13
1			((reduc\$4 or minimi\$6 or obviat\$4 or	US-PGPUB;	09:33
			eliminat\$4 or optimi\$6 or remov\$4) near3	EPO; JPO; DERWENT;	
			(use adj3 predicate))	IBM TDB	
1		166	(717/\$ or 714/\$ o4 711/\$ or 712/\$) and	USPAT;	2004/09/13
	•		((reduc\$4 or minimi\$6 or obviat\$4 or	US-PGPUB;	09:34
			eliminat\$4 or optimi\$6 or remov\$4) near5	EPO; JPO;	
		1	(predicat\$4 or (predicate adj statement))	DERWENT;	
)	IBM_TDB	2004/00/33
	-	494		USPAT;	2004/09/13
			<pre>interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or</pre>	US-PGPUB; EPO; JPO;	03:33
			instruction or operation)))) and	DERWENT;	
			(@ad<=20010207 or @rlad<=20010207)	IBM TDB	
L		1	1 10000 1000	<u> </u>	

_	39	((717/\$ or 714/\$ o4 711/\$ or 712/\$) and	USPAT;	2004/09/13
		((reduc\$4 or minimi\$6 or obviat\$4 or	US-PGPUB;	11:24
		eliminat\$4 or optimi\$6 or remov\$4) near5	EPO; JPO;	
		(predicat\$4 or (predicate adj statement))	DERWENT;	
)) and (((speculation or compensation or	IBM_TDB	
		interpret\$5) and (if-convers\$3 or (-	
		predicat\$3 near5 (execution or code or		
		instruction or operation)))) and		
		(@ad<=20010207 or @rlad<=20010207))		
-	9	(((717/\$ or 714/\$ o4 711/\$ or 712/\$) and	USPAT;	2004/09/13
		((reduc\$4 or minimi\$6 or obviat\$4 or	US-PGPUB;	11:45
		eliminat\$4 or optimi\$6 or remov\$4) near5	EPO; JPO;	
		(predicat\$4 or (predicate adj statement))	DERWENT;	·X·
)) and (((speculation or compensation or	IBM_TDB	
		interpret\$5) and (if-convers\$3 or (_	
		predicat\$3 near5 (execution or code or		
		instruction or operation)))) and		
		(@ad<=20010207 or @rlad<=20010207))) and		
		((pre-empt\$5 or replac\$5 or substitu\$6 or		
		swap\$5) adj3 (predicat\$5 or (predicated		•
		adj2 execution)))		
_	7	(replac\$4 or substitut\$5 or chang\$4 or	USPAT;	2004/09/13
		modif\$4) adj ((predicat\$3 adj2	US-PGPUB;	11:49
		(statement or expresssion or instruction	EPO; JPO;	
		or execution)))	DERWENT;	
			IBM_TDB	
-	5	((replac\$4 or substitut\$5 or chang\$4 or	USPAT;	2004/09/13
		modif\$4) adj ((predicat\$3 adj2	US-PGPUB;	11:50
		(statement or expresssion or instruction	EPO; JPO;	
*		or execution)))) and (@ad<=20010207 or	DERWENT;	
		@rlad<=20010207)	IBM_TDB	